

TECHNICAL SHEET

EXPO-LINE PLUS CONCENTRATE

1 JANUARY 2025



EXPO-LINE



Havenlaan 9,
3980 Tessenderlo
BE



2 Chemin De Montrichard
54700 Pont-à-Mousson
FR



www.expo-line.com



info@expo-line.com

TECHNICAL SHEET

EXPO-LINE PLUS CONCENTRATE



DISCRIPTION

Expo-Line Pluse Concentrate is a high-quality, dilutable line marking concentrate with the same unique properties as the Performance paint:

- **No setting and no clumping** - always homogeneous and ready to use after delution
- **Grass-friendly** - completely safe with no risk of turf burn
- **Long shelf life** - 2 years without sediment at the bottom of the container

Usage:

- **Recommended dilution ratio:** 1 L product with 4 L water (1:4)
- In **stamp machines**, the product can also be used pur
- Suitable for **all types of line marking machines** as well as **roller or stamp machines**

GENERAL INFORMATION

Ready-to-use, high-quality, biodegradable line paint.

Packaging

Cans of 14 kg.

Dilution

Depending on weather conditions → from 1 kg + 3 L of water to 1 kg + 6L of water.

Closing devices

Roller, spray and compressed air machines → clean with water.

Drying time

About 15 to 30 minutes → depending on weather conditions and type of machine.

Consumption

1 football pitch = 1.50 to 2.70 kg / 1 rugby pitch = 2.50 to 4 kg.

Storage

Frost-resistant

TECHNICAL SHEET

EXPO-LINE PLUS CONCENTRATE



PHYSICAL CHARACTERISTICS

AFNOR classification

PH: 9.2

Density: 1.48

Colour: white and very clear

Viscosity: 1800

Titanium dioxide: 28

Mineral filler: 35

Resin: 0

Dry extract: 40.4

The data in this data sheet have been compiled based on the latest laboratory data. Technical data are subject to modification or change. Users should ensure that they have access to the most recent data sheet. There is no representation that the project was complete. Since application, substrate quality and treatment conditions. No liability can be accepted on the basis of this data sheet